

Tube and Profile Rolling Machines **KPB 81**



TECHNICAL SPECS

WORKING AREA

Shaft Ø	80 mm	
Roll Ø	245 mm	
Bending speed	4.2 m/min	
Driven roll	3 positions	

DRIVE CAPACITY

Motor rating hydraulic	5.5 kW	
pump		

MEASURES AND WEIGHTS

Overall dimensions (length x width x height)	1.38 m x 1.04 m x 1.54 m
Weight	1600 kg

SKU:131200

The profile bending machines of the KPB series combine high bending performance with modern mechanical engineering and powerful hydraulics. You can bend medium and heavy steel profiles with great precision. A high drive power and the hydraulically adjustable bending rollers make the entire profile bending machine series a powerful solution for metal construction, locksmithing and general mechanical engineering. These machines are also used in the production of canopies, greenhouses, advertising technology and the furniture industry.

- All 3 rollers driven
- Hardened rollers and shafts
- Hydraulic roller adjustment
- Allows horizontal and vertical machining

Profile	dimens.	ø	
	3x3x5/16	32	A
	1x1x1/8	18	A
	2-3/4x2-3/4x1/4	28	A
	1x1x1/8	18	A
	3x3x3/8	32	A
4	2.5x2.5x1/4"	24	
	3x1.5x1/4*	40	
	2-3/4x2-3/4x5/16	30	A
	3/5/8	28	A
	3/4x3/16	11.8	A
	4-3/4x1	24	A
	1-34x1-3/4	20	A
	UNP4	20	8

PRODUCT DETAILS

- Optimum adaptation to a large variety of profiles using the modular roller system

- Optimum adaptation to a large variety of profiles using
 3 motor-driven rollers
 Hardened and ground shafts
 Overload slip-clutch
 Hydraulic feed of bottom rollers with digital display
 Hydraulically adjustable straightening rollers; optional
 Allows horizontal or vertical machining
 Hydraulic components made by leading manufactures
- Hydraulic components made by leading manufactures

STANDARD EQUIPMENT

Digital display Control panel Foot pedal with emergency stop switch Standard rollers Operating tools Operator manual

Profile	Abm.	ø	
	35x35x3	500	A
4	70x70x8	1200	
	80x80x8	1600	
	40x40x4	600	A
	70x70x9	1000	
	80x80x8	2000	
	70x30x4	400	Α
4	70x70x8	1000	
	80x80x8	1400	
	30x30x4	400	A
0	70x70x8	1000	
	80x80x8	1400	
	40x10	300	A
	80x15	500	
	80x20	700	
	50x10	260	A
	80x20	400	
	120x30	600	
and the second se	30	300	A
	40	500	
	45	1000	
	60x30x6	400	В
	120x55x6	800	